



FOR ARCHITECTS & DEALERS

Exceptional *oak floors.*

*Wide planks · Panel parquet · Herringbone · Chevron. Made to
measure, multi-layer construction.*

MANUFACTORY · GRAZ, AUSTRIA

WWW.OAKFACTORY.EU

Key data *for your project.*

A manufactory for oak floors. Numerous formats, all built on water-resistant glued birch plywood, with handcrafted in-house surface finishing. We work from sawn timber out of the sawmill to the installation-ready product.

MATERIAL

European oak

Quercus robur and Quercus petraea from sustainable forestry.

PRODUCTION

From sawn timber

To the finished product — all from a single source.

CONSTRUCTION

Solid oak

On water-resistant glued birch plywood — specifically designed for installation over underfloor heating.

FORMATS

Four & more

Wide planks · Panel parquet · Herringbone · Chevron — and many more.

MADE TO MEASURE

Any size

Standard dimensions from stock — and any size to client spec.

GRADINGS

Three + Mix

AB · C · R — and a mix of all three.

FINISHING

Graz, AT

Brushing, smoking, staining, oiling, lacquering — in-house.

SERVICE

Layout plan free

A hand sketch or plan as PDF is enough — plan and quote at no charge.

SAMPLES

On request

Sample boards to client spec — presented in our own high-quality sample stand.

Four formats. *One system.*

— *Format 01*

Wide plank

Generous long planks for residential and hospitality use. Calm laying pattern, long lengths, broad widths.

| | |
|--------------|--|
| WIDTH | 180 – 400 mm |
| LENGTH | 1.8 – 3 m, long planks up to 4.5/5 m · custom lengths on request |
| INSTALLATION | fully glued |

— *Format 02*

Panel parquet

Square modules in historical or contemporary patterns — individually configurable.

| | |
|--------------|---|
| MODULE | to plan |
| PATTERN | 36 modern · nearly all classical · to client spec |
| INSTALLATION | fully glued |

— *Format 03*

Herringbone

Staves for classical 90° laying. Precisely trimmed.

| | |
|--------------|------------------|
| STAVE LENGTH | 600 – 2 000 mm |
| STAVE WIDTH | 90 – 200 mm |
| INSTALLATION | 90°, fully glued |

— *Format 04*

Chevron


Staves cut at 45° or 60°. Directional chevron pattern.

| | |
|--------------|----------------------|
| ANGLE | 45° or 60° |
| STAVE WIDTH | 90 – 180 mm |
| INSTALLATION | chevron, fully glued |

Specifications *in detail.*

| | | |
|----------------------|--|--|
| CONSTRUCTION | Total thickness | 15 mm, 16 mm — other thicknesses available on request |
| | Oak wear layer | 4, 5 or 6 mm |
| | Substrate | multi-layer water-resistant glued birch plywood |
| | Profile | tongue & groove, milled on all sides |
| WOOD | Species | Oak (<i>Quercus robur</i> / <i>petraea</i>) |
| | Origin | Slavonia · Hungary · former Austro-Hungarian regions — sustainable, documented |
| | Gradings | AB · C · R · Mix |
| SURFACE | Mechanical | brushed, sawn, air-dried, artificially aged |
| | Colouring | smoked, stained, reactive-stained, limed, pigmented, burnt |
| | Finish | Natural oil · Hardwax oil · Lacquer |
| TESTING | Fire behaviour | Class Cfl-s1 · <i>EN 13501-1</i> |
| | Formaldehyde | Class E1 |
| UFH | Thermal resistance R | 0.08 m ² K/W — suitable for underfloor heating |
| INSTALLATION | fully glued on prepared substrate · layout plan free of charge | |
| DOCUMENTATION | Data sheets, test certificates, care instructions, tender texts — on request | |

Tested. Documented. Traceable.



Every plank is made in our manufactory in Graz. We work from sawn timber out of the sawmill to the installation-ready product: log selection, cutting, drying, build-up on water-resistant glued birch plywood, and the complete surface finishing — brushing, smoking, reactive staining, oiling, lacquering — all under one roof. Every plank leaves our manufactory only when we are satisfied with its quality — inspected, documented, packed ready for installation.

— 01

Surface textures

Brushed, sawn, air-dried or artificially aged. Defines the haptic.

— 02

Colouring

Smoked, stained, reactive-stained, limed, pigmented, burnt — reproducible to sample.

— 03

Finish

Natural oil, hardwax oil or lacquer. Repairable, can be partially refreshed.

— 05 SELECTED REFERENCE PROJECTS IN AUSTRIA

Holzleiten. Opec Fund. Bergmähder. Wolfensson.



Hotel *Holzleiten*

LOCATION Tyrol, AT
 AREA Suites
 FORMAT Wide planks
 SURFACE air-dried



Opec *Fund*

LOCATION Vienna, AT
 AREA Office · Lounge
 FORMAT Chevron
 INTERIOR INNOCAD Architecture



Hotel *Bergmähder*

LOCATION Tyrol, AT
 AREA Lobby · Suites · Bar
 FORMAT Wide planks
 SURFACE air-dried



Hotel *Wolfensson*

LOCATION Nuremberg, DE
 AREA Rooms
 FORMAT Herringbone
 SURFACE smoked

Beyond the projects shown here, we have equipped thousands of projects across Europe with our oak floors — from private residences to hospitality. A project-specific reference list is available on request.

— 06 WHAT YOU RECEIVE FROM US

Service for *architects & dealers.*

— 01

Layout plan for mixed widths, free of charge

A hand sketch with dimensions is enough. You receive a layout plan, parts list and a non-binding quote.

— 02

Data sheets & certificates

Technical data sheets, test certificates, tender texts
— by email or download.

Oak *Factory*

Exceptional oak floors.

MANUFACTORY · GRAZ, AUSTRIA

WEB

ENQUIRIES

DATA SHEETS

CORRESPONDENCE

LANGUAGES

www.oakfactory.eu

office@oakfactory.eu

by email

DE · EN · ES · FR · IT



OAK FACTORY

WEB

www.oakfactory.eu

EMAIL

office@oakfactory.eu

SHOWROOM

*Neuseiersberger Straße 155
8054 Graz, Austria*

WWW.OAKFACTORY.EU